



No.	DESCRIPTION	MATERIAL DESCRIPTION
1	BODY	CAST LOW LEAD BRASS ALLOY
2	CAP	CAST BRASS ASTM B62 ALLOY C83600
3	STEM	LOW LEAD BRASS ALLOY
4	BALL	LOW LEAD BRASS ALLOY
5	GASKET	NITRILE ASTM D2000
6	SOLID PIN	AISI 304 ANNEALED STAINLESS STEEL
7	O-RING	EP ASTM D2000
8	END PIECE	CAST LOW LEAD BRASS ALLOY
9	O-RING	EP ASTM D2000
10	END PIECE	CAST LOW LEAD BRASS ALLOY

VALVE SIZE	A	NPT SIZE
3/4"	3.496	3/4"
1"	4.391	1"
1-1/2"	5.359	1-1/2"
2"	6.031	2"

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PROD-ENG\JJ\SUBMITTALS\E1945

						DRFTR	RWB	2/4/10	<div>JONES</div> <div>UNLESS OTHERWISE NOTED THIRD ANGLE PROJECTION SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH -- XX RMS TOLERANCE(S): LINEAR ----- ± .000 ANGULAR ----- ± 0°00'</div>	
						CHKR				
						ENGR				
						MGR				
									REF. No.	SCALE
							BY	DATE		
						STK No:				
						MAT'L:				
						DESCR.				
						BALL TYPE LLB CURB VALVE (MIP × FIP)				DWG NUMBER E1945
REV	ECR	DESCRIPTION	DATE	BY	CHKR					

DWG NUMBER
E1945
JJ-MRKTNG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING
DATA REMAINS IN Mueller Co. NO USE IS TO BE
MADE OF THIS DATA EXCEPT AS SPECIFICALLY
AUTHORIZED BY Mueller Co. ASSENT ON THE PART
OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED