



No.	DESCRIPTION	MATERIAL
1	COPPER GASKET	COPPER ASTM B152 ALLOY C11000
2	COUPLING NUT	CAST BRASS ASTM B62 ALLOY C83600
3	SNAP RING	COPPER ALLOY CDA 521
4	TAILPIECE	CAST LOW LEAD BRASS ALLOY
5	PJ GASKET	BUNA-N ASTM D2000
6	PJ WASHER	POLYPROPYLENE
7	COMPRESSION RING	BRASS ASTM B505 ALLOY C83600
8	COMPRESSION NUT	CAST BRASS ASTM B62 ALLOY C83600

SIZE	A	B
1"	2.000	2.060

ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PROD-ENG\JJ\SUBMITTALS\E2626G

						DRFTR	RWB	11/8/18	JONES	THIRD ANGLE PROJECTION
						CHKR				
						ENGR				
						MGR				
									UNLESS OTHERWISE NOTED	
									SURFACE PREPARATION:	
									BREAK CORNER(S) ---- .000	
									SURFACE FINISH -- XX RMS	REF. No.
									TOLERANCE(S):	SCALE
									LINEAR ----- ± .016	NONE
									ANGULAR ----- ± 0°00'	
								STK No:		
								MAT'L:		
								DESCR.	1/4 BEND LLB CORP STOP COUPLING (SWIVEL FCS x GRIP)	DWG NUMBER E2626G
REV	ECR	DESCRIPTION	DATE	BY	CHKR	PER EST NO: DXXXX EST FIN WT = 0.0000 lbs				

DWG NUMBER
E2626G
442-MRKTG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED